

CHARCOAL BBQ OVEN V1.1

GEC

Risk Assessment #305579

BRAND: GEC

SITE: ELECTRONIC ARTS IRELAND

DATE: 25/06/2025

1 - Risk Assessment

1.1 Section 1

1.1.1 Area

Outside/garden area.

1.1.2 Activity / Equipment

Charcoal BBQ

1.1.3 Assessor

Kevin Maher

1.1.4 Date

25.06.2023

1.1.5 Hazards (add in any site specific hazards to the list below):

Contact with hot surface
Manual Handling
Slips, trips and falls
Gas Release/Explosion
Fire
(Environmental) Thermal Comfort - Heat
Adverse Weather

1.1.6 Who might be harmed

Employee Customer

1.1.7 If 'Other', please specify

N/A

1.1.8 Initial Risk Assessment (with no control measures)

PROBABILITY	Low	Medium	High
SEVERITY			
Low	Low	Low	Medium
Medium	Low	Medium	High
High	Medium	High	High

1.1.9 Severity

 Medium

1.1.10 Probability

 Low

1.1.11 Risk Rating

 Low

1.1.12 Safe systems of work and controls measures

1. Restrict use and cleaning of ovens to trained personnel only.
2. Use in accordance with manufacturer's instructions.
3. Safe lighting procedure in accordance with manufacturer's instructions.
4. Do not overload oven trays or stack them on top of each other.
5. Keep trays level and be aware of spillage of hot liquids when moving trays.
6. Apply correct lifting techniques.
7. Use appropriate dry oven cloths/gloves.
8. Open doors with care to release first rush of heat/steam.
9. Visually check floor area to ensure that no slipping hazard prevails.
10. Clean spillages of food and liquid immediately. If necessary display a wet floor sign.
11. Isolate power supply and allow to cool prior to cleaning.
12. Use appropriate PPE when using cleaning chemicals (refer to COSHH assessment).
13. Planned preventative maintenance.
14. Routine testing.
15. Defects/damage to be reported to management.
- 16 Secure Gas canisters behind away from customers
- 17 Ensure correct fire equipment is in place near by.
- 18 cylinders must be changed in open air. Maintained dry powder fire extinguisher sited near to LPG storage area and also close to barbecue.

1.1.13 Any further action(s) required


N/A

1.1.14 Final Risk Assessment (with controls measures)

PROBABILITY	Low	Medium	High
SEVERITY			
Low	Low	Low	Medium
Medium	Low	Medium	High

High	Medium	High	High
------	--------	------	------

1.1.15 Severity

 Medium

1.1.16 Probability

 Low

1.1.17 Overall Risk Rating

 Low